



# WHEEL LOADER BUCKETS

**Selection,  
Innovation,  
Performance**

Your One-Stop Shop  
for Hydraulic Tools  
and Attachments





# WHY SHOULD YOU BUY A **JRB®** LOADER BUCKET?







---

### Exceptional Performance

- JRB® buckets allow for max fill capacities and material retention, so that you can get the most out of your bucket and the loader.

---

### Designed for Your Loader

- Buckets have been optimized to fit your specific loader model to optimize productivity and to use common wear parts.

---

### Buckets for Every Need

- JRB's loader bucket offering covers a wide range of applications. These buckets have been designed to...

# GENERAL PURPOSE



The **JRB General Purpose (GP)** bucket is an ideal attachment to handle a variety of materials and loading tasks on the job site.

## FEATURES

- Material density 1800 to 3000 pounds
- Sloped-bottom design allows for maximum fill capabilities and material retention
- Slope bottom increases dump angle by 5° for more efficient dumping capabilities
- Minimum 36 KSI yield steel construction
- Minimum 400 Brinell wear areas
- Custom buckets available by request
- Rubber edges available by request
- Widths and cutting edge hole patterns drilled to OEM standard wear parts specification
- Available as pin-on or compatible with Quick Coupler System



**OPTIMIZED FIT**

Designed specifically for the designated loader's attachments for a firm fit



**SLOPED BOTTOM**

Allows for max fill and improves dump angle by 5°

## AVAILABLE IN THE FOLLOWING LOADER SIZES

**100  
CLASS**

**200  
CLASS**

**300  
CLASS**

**500  
CLASS**

**600  
CLASS**


**700  
CLASS**

**800  
CLASS**

**900  
CLASS**



# GENERAL PURPOSE CURVED



The **JRB General Purpose Curved (GPC)** bucket builds upon the GP bucket with curved sides and other features to keep spillage to a minimum for a more productive job site.

## FEATURES

- Curved sides allow for a larger heap of material in the bucket
- Sloped bottom design maximizes fill capacities and improves dump angle by 5 degrees
- Bucket width and cutting edge match OEM standard specifications for easy wear part replacement
- Curved sides and a spill guard keep the material in the bucket, not on the production floor
- AR400 material used in high wear areas



### IMPROVED MATERIAL RETENTION

Curved sides and spill guard offers improved material retention



### OPTIMIZED FIT

Designed specifically for the designated loader's attachments for a firm fit



### SLOPED BOTTOM

Allows for max fill and improves dump angle by 5°

## AVAILABLE IN THE FOLLOWING LOADER SIZES





# LIGHT MATERIAL



The **JRB Light Material (LM)** bucket is perfect for picking up and transferring lighter weight materials such as mulch, coal, etc.

## FEATURES

- Designed for capacity of 1800 pounds per cubic yard
- Sloped-bottom design allows for maximum fill capabilities and material retention
- Slope Bottom increases dump angle by 5° for more efficient dumping capabilities
- Minimum 36 KSI yield steel construction
- Minimum 400 Brinell wear areas
- Optional visibility spill guard available
- Widths and cutting edge hole patterns drilled to OEM standard wear parts specification
- Available as pin-on or compatible with JRB's Quick Coupler System



### OPTIMIZED FIT

Designed specifically for the designated loader's attachments for a firm fit



### LIGHT WEIGHT CONSTRUCTION

Bucket weight is optimized to provide great capacity

## AVAILABLE IN THE FOLLOWING LOADER SIZES

100 CLASS	200 CLASS	300 CLASS	500 CLASS	600 CLASS	700 CLASS	800 CLASS	900 CLASS
--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------



# MULTI-PURPOSE



The **JRB Multi-Purpose (MP)** bucket provides a versatile loader tool that can handle excavating, grappling, loading and top dumping.

## FEATURES

- Versatile in handling excavating, grappling, loading, and top dumping
- Double bottom clam floor design provides greater strength and durability
- Equipped with standard bolt-on moldboard cutting edges; heat-treated steel pins and bushings; heavy-duty hydraulic cylinders with protected hydraulic lines; greased pivot pins
- Clam-front cutting edge drilled to OEM standard wear parts specification
- Available as pin-on or compatible with JRB's Quick Coupler System
- Third function loader hydraulics and jumper hose kit for Quick Coupler required for operation. Bucket supplied with attachment side whip hoses



### DOUBLE FLOOR BOTTOM

Provides greater strength and durability



### OPTIMIZED FIT

Designed specifically for the designated loader's attachments for a firm fit



## AVAILABLE IN THE FOLLOWING LOADER SIZES





# SIDE DUMP



The **JRB Side Dump** bucket is ideal for operating in confined, hard to maneuver areas. The buckets allow material to be discharged to one side at a 45° angle.

## FEATURES

- Designed for confined, hard-to-maneuver areas
- Supports capacity of .75 to 4.5 cubic yards
- Features left-hand dump function, right-hand available by request
- Heavy-duty design allows for full side dumping and angle backfilling
- Side-shoot dumping angle of 45°
- Features the exclusive JRB sequence valve for lock/unlock of the bucket cradle and side dump function
- Center mounted lift hooks are standard
- Available as pin-on or compatible with Quick Coupler System
- Third function loader hydraulics and jumper hose kit for Quick Coupler required for operation. Bucket supplied with attachment side whip hoses



**SIDE-SHOOT  
DUMPING**

Dumping angle of 45°



**HEAVY DUTY  
CONSTRUCTION**

Allows for full side dumping  
and angle backfilling

AVAILABLE IN THE FOLLOWING LOADER SIZES

**100  
CLASS**

**200  
CLASS**

**300  
CLASS**

**500  
CLASS**

**600  
CLASS**

**700  
CLASS**

**800  
CLASS**

**900  
CLASS**



# GRAPPLE



The **JRB Grapple** buckets are designed to work in land clearing and trash handling applications.


## FEATURES

- Profiles available in full, half-cutaway, or full-cutaway sides for any job application
- Optional screening on arms available for maximum material retention
- Dual hydraulic cylinders allow independent actuation of each cylinder for clamping uneven loads
- Width and edge hole patterns drilled to OEM standard wear parts
- Available as pin-on or compatible with Quick Coupler System
- Third function loader hydraulics and jumper hose kit for Quick Coupler required for operation. Bucket supplied with attachment side whip hoses
- Rubber edges available by request



### CONFIGURABLE

Full, Half and Cutaway side profiles available to handle a variety of loads.



### INDEPENDENT OPERATION

Grapple arms move independently to clamp uneven loads



## AVAILABLE IN THE FOLLOWING LOADER SIZES

100  
CLASS

200  
CLASS

300  
CLASS

500  
CLASS

600  
CLASS

700  
CLASS

800  
CLASS

900  
CLASS

# BUCKETS TO FIT YOUR UNIQUE NEEDS

---

## Refuse


Specifically designed to use in landfills and transfer stations. The bucket is available in Pushing and Loading styles.



---

## Rock

Ideal for operating in more severe loading and digging applications. A range of wear, tooth, and edge options are available to meet your specific needs.





# PALADIN OFFERS A FULL RANGE OF LOADER ATTACHMENTS

---

## Forks


Tackle tough material handling jobs with JRB Forks



---

## Couplers

Increase the versatility of your loader with one of JRB's hydraulic couplers.



---

## Rakes

Clear debris and brush with JRB's loader rakes.



## and More...

Delivering specialized solutions to enhance your loaders, CustomWorks® can help standard machines tackle the most rugged applications. CustomWorks® can modify your newly purchased or current equipment at one of four convenient locations, or ship the necessary parts and kits directly to the dealership.

**SELECTION.  
INNOVATION.  
PERFORMANCE.**



**PALADIN®**