



STRIKEFORCE
BY PALADIN™

www.paladinattachments.com



COMPACT BREAKERS

FOR EXCAVATORS, SKID STEERS, AND BACKHOE LOADERS






StrikeForce™ Compact Breakers are a cost-effective and versatile solution that can be easily mounted onto various types of machines. This flexible mounting system adds value to any contractor's toolkit, making it a useful tool for road construction, utility installation, light demolition, and building construction. These breakers are designed to perform general activities, making them an essential tool for any construction project.





COMPACT BREAKERS

FOR EXCAVATORS, SKID STEERS, AND BACKHOE LOADERS

FEATURES

- **Box style breaker** - Reduced noise pollution & carrier protection
- **Internal Control Valve** - Higher efficiency, performance & reliability
- **Hybrid Gas/oil working principle** - High efficiency & impact energy
- **2 moving parts** - Reduced maintenance higher ROI

Conventional Working Tool	Application Type					Remark
	Primary Breaking	Secondary Breaking	Hard Rock Removal	Soft Material & Rock Material	Demolition	
 Chisel Point V	○		○	●	●	All Models
 Chisel Point H	○		○	●	●	All Models
 Pyramid Moil Point	●		○	●	●	All Models
 Conical Moil Point	●		○	●	●	All Models
 Blunt		●	●		○	All Models

Special Working Tool	Application Type				Remark
	Asphalt Removal	Compacting	Post Driving	Severe Duty Rock Removal	
 Asphalt Cutter	●				SFB 150-2~ SFB 1500-2
 Tamping Tool		●			SFB 150-2~ SFB 1500-2
 Post Driver			●		SFB 150-2~ SFB 1500-2
 Core Moil Point				●	SFB 250-2~ SFB 2K-2

● Highly Recommended ○ Selectively Applicable

SPECIFICATIONS

		SFB 150-2	SFB 250-2	SFB 350-2	SFB 500-2	SFB 750-2	SFB 1000-2	SFB 1500-2
SUITABLE CARRIER	LBS	1,100~3,300	1,800~6,600	3,300~11,100	8,800~15,500	11,000~19,900	13,300~22,100	15,500~26,500
OPERATING WEIGHT	LBS	180	310	410	720	910	1,140	1,320
TOOL DIAMETER	IN.	1.57	1.77	2.24	2.76	2.95	3.15	3.54
REQUIRED OIL FLOW	GPM	4~6	4~8	6~19	8~16	9~18	10~22	11~22
OPERATING PRESSURE	PSI	860~1,890	1,300~1,740	1,300~1,740	1,600~2,400	1,740~2,400	2,030~2,470	2,030~2,470
BLOW RANGE-POWER MODE	BPM	800~1,200	550~1,000	600~1,500	380~1,500	380~900	400~800	350~700
BLOW RANGE-SPEED MODE	BPM	800~1,200	550~1,000	600~1,500	380~1,500	380~900	600~1,100	490~1,000
ENERGY CLASS	FT-LBS	150	250	350	500	750	1000	1500



PALADIN

2800 Zeeb Road // Dexter, MI 48130 // 833-723-1843 // www.PaladinAttachments.com