



Snow Removal Attachments

Rugged. Versatile. Dependable.

Unmatched quality. Unsurpassed ingenuity. Uncompromising service. They're not just hallmarks of Paladin Attachments; they're what make us one of the most trusted names in the snow removal and construction industry.

Turn your loader into an efficient snow removal machine with JRB attachments.

Paladin is also pleased to offer the following attachments:

- Wheel Loader and Excavator Couplers
- Wheel Loader and Excavator Buckets
- Construction & Utility Pallet Forks
- Thumbs
- Grapples



The Power of Combined Excellence®

BRADCO CP CUSTOMWORKS FFC HARLEY J&B McMILLEN SWEEPSTER

Division of
IES INTERNATIONAL
EQUIPMENT
SOLUTIONS

SNOW REMOVAL

SNOW PLOWS







JRB's Snow Plows by Paladin are designed for use on loaders and backhoes in tight confined areas such as parking lots and city streets.

- Plow angles at 35 degrees in both directions
- Features two carbide wear guards, two 3" bore and 10" stroke cylinders
- The reversible edge is made of ¾" x 6" AR425 steel
- Two heavy-duty adjustable trip springs are standard
- The JRB Snow Plow is available with hydraulic angle (third function hydraulics are required on the loader for angle operation)
- Available as pin-on or compatible with JRB's Quick Coupler System

Specifications Snow Plows				
Model	Weight (approx)	Width	Height	Cutting Width @ 35° Angle
QC10SPH	1510 lbs	120"	42"	98.25"
QC11SPH	1600 lbs	132"	42"	108.12"
QC12SPH	1650 lbs	144"	42"	118"
QC14SPH	1720 lbs	168"	42"	138"
QC16SPH	1850 lbs	192"	42"	157"

SNOW PUSHERS



The JRB Snow Pusher by Paladin works with skid steers, loader backhoes and wheel loaders to remove up to 26 yards of snow at a time from roads, parking lots and airport runways. Its box design gathers snow inside as it moves forward, making it ideal for greater depths of snow while also having the structure to take on heavy, wet material.

- Features a universal coupling system with multiple clamp holes for easy attachment to any OEM machine
- Reversible rubber edges and skid shoes are designed to achieve optimum clearing action and extend the attachments wear life
- Solid steel forks prevent rusting caused by frequent exposure to wet snow
- Bucket lip, JRB QC, ISO and other mounts available
- Flat contact bar provides an even load distribution while the side plates permit better ground alignment for a more thorough clearing process
- Available in widths ranging from 8 to 20 feet


Specifications 233 Series Snow Push						
Model	Weight (approx)	Width	Path Width	Working Height	Depth	Overall Width
23396	1100 lbs	8'	95.5"	41.3"	41.5"	101.5"
23320	1230 lbs	10'	119.5"	41.3"	41.5"	125.5"
23344	1375 lbs	12'	143.5"	41.3"	41.5"	149.5"
23368	1505 lbs	14'	167.5"	41.3"	41.5"	173.5"

Carrier Specifications: Lift Capacity: <11,000 lbs; Operating Weight <20,000 lbs

Specifications 228 Series Snow Push						
Model	Weight (approx)	Width	Path Width	Working Height	Depth	Overall Width
22812	2485 lbs	12'	142.5"	48.8"	71.8"	149.7"
22814	2660 lbs	14'	166.5"	48.8"	71.8"	173.7"
22816	2835 lbs	16'	190.5"	48.8"	71.8"	197.7"
22820	3185 lbs	20'	238.5"	48.8"	71.8"	245.7"

*Photos may not feature the most current design.
Materials and specifications subject to change without notice.*

LIGHT MATERIAL BUCKETS



JRB's Light Material Buckets by Paladin move large volumes of snow and other loose materials efficiently.

- Designed for capacity of 1800 pounds per cubic yard
- Sloped bottom design allows for maximum fill capabilities and material retention
- Sloped bottom increases dump angle by 5° for more efficient dumping capabilities
- Minimum 50 yield steel construction
- Minimum 400 Burnell wear areas
- Optional visibility spill guard available
- Widths and cutting edge hole patterns drilled to OEM standard wear parts specification
- Available as pin-on or compatible with JRB's Quick Coupler System



* Quick Coupler adapter installed. For Pin-On eliminate QC designation of part number

Specifications Light Material Buckets

Class	Part Number*	Cubic Yard	Weight
100	QC150LM	1.50	1005 lbs.
	QC200LM	2.00	1180 lbs.
	QC250LM	2.50	1210 lbs.
200	QC250LM	2.50	1700 lbs.
	QC300LM	3.00	1900 lbs.
	QC350LM	3.50	2300 lbs.
	QC400LM	4.00	2500 lbs.
300	QC450LM	4.50	2800 lbs.
	QC350LM	3.50	2300 lbs.
	QC400LM	4.00	2500 lbs.
	QC450LM	4.50	2950 lbs.
	QC500LM	5.00	3350 lbs.
400	QC550LM	5.50	3900 lbs.
	QC450LM	4.50	2950 lbs.
	QC500LM	5.00	3350 lbs.
	QC550LM	5.50	3900 lbs.
	QC600LM	6.00	4300 lbs.
600	QC650LM	6.50	4750 lbs.
	QC600LM	6.00	4300 lbs.
	QC650LM	6.50	4750 lbs.
	QC700LM	7.00	5100 lbs.
	QC750LM	7.50	5350 lbs.
700	QC800LM	8.00	5700 lbs.
	QC700LM	7.00	5100 lbs.
	QC750LM	7.50	5350 lbs.
	QC800LM	8.00	5700 lbs.
	QC850LM	8.50	6000 lbs.
	QC900LM	9.00	6300 lbs.
800	QC950LM	9.50	6600 lbs.
	QC1000LM	10.00	6900 lbs.
	QC850LM	8.50	6000 lbs.
	QC900LM	9.00	6300 lbs.
	QC950LM	9.50	6600 lbs.
	QC1000LM	10.00	6900 lbs.
	QC1050LM	10.50	7100 lbs.
	QC1100LM	11.00	7400 lbs.
900	QC1150LM	11.50	7800 lbs.
	QC1200LM	12.00	8300 lbs.
	QC1250LM	12.50	8700 lbs.
	QC1300LM	13.00	9200 lbs.
	QC1350LM	13.50	9600 lbs.
	QC1400LM	14.00	10000 lbs.
	QC1450LM	14.50	10300 lbs.
	QC1500LM	15.00	10800 lbs.

SNOW REMOVAL

Our attachments will handle your tough snow removal applications.



"I don't get anything less than maximum **performance** from my Paladin attachments."

Eric J., Snow Removal Contractor

